US ERA ARCHIVE DOCUMENT



Short Term Measurements and Air Quality Messaging/Regulatory Requirements for Data

Kristen Benedict















Emerging air monitoring systems (informal classification)



Group 1: Regulatory or regulatoryequivalent air monitoring stations Cost: 100Ks (in thousands), Data reliability = A+



Group 2: Smaller-footprint monitoring systems for community screening and research studies Cost: 1-10Ks, Data reliability = B+ (target)

Group 3: Very small, very low cost systems enabling dense sensor networks, citizen science Cost: 0.1-1Ks, Data reliability = ?

(slide courtesy of Gayle Hagler)



Monitoring Requirements for NAAQS Compliance

Activity/Procedure	Regulation
FRM/FEM Instrument Approval (1-2 year process)	40 CFR Part 53.20 40 CFR Part 58 Appendix C Ambient Air Monitoring Methodology
Meet method requirements for NAAQS attainment	40 CFR Part 50 Appendices
QAPP approval	40 CFR Part 58 Appendix A and EPA QA Policy
Minimum QA/QC Requirements (e.g. calibration, zero/span checks)	40 CFR Part 58 Appendix A QA Handbook Volume II
Siting Requirements	40 CFR Part 58 Appendix E
Annual Data Certification	40 CFR Part 58.15
Meet reporting requirements	40 CFR Part 58.15

National Air Toxics Trends Stations (NATTS) information can be found at http://www.epa.gov/ttn/amtic/natts.html Methods and Procedures for Source Testing and Monitoring http://www.epa.gov/ttn/emc/tmethods.html




Communicating Sensor Data is Tricky...





There are no studies to support 1-minute ozone and PM_{2.5} *health effects* messaging





The Air Quality Index

Not for use to interpret non-regulatory data

Air Quality Index (AQI) Values	Levels of Health Concern	Colors
When the AQI is in this range:	air quality conditions are:	as symbolized by this color:
0-50	Good	Green
51-100	Moderate	Yellow
101-150	Unhealthy for Sensitive Groups	Orange
151 to 200	Unhealthy	Red
201 to 300	Very Unhealthy	Purple
301 to 500	Hazardous	Maroon



Sensor Concentration ≠ Air Quality Index

Sensor Reading

Concentration

Short term (e.g. 1 minute)

Data Quality Unknown




Air Quality Index

Index Color


Averaged (e.g. 8-hour, 24-hour)

Data Quality Assured






















- Village Green (funded by E-Enterprise)
 - Incorporate real-time, 1-minute ozone and PM_{2.5} sensor data into AIRNow tech
 - -Expand number of sites (4-5)
 - –Monitor additional pollutants(VOCs and NO₂)
 - Fulfill Agency priority goal for two real time air quality data streams to the public











Messaging Activities

- Sensor Messaging
 Website
- Village Green Mobile Website



- Data Analysis (Completed)
- Focus Group Testing (In progress)






Questions from Citizens

- Why is this reading different from what AIRNow shows?
- Why do you use hourly or longer averages to set standards? What do shorter peaks in my short term data mean?
- Can I use my information for comparison against the National Ambient Air Quality Standards (NAAQS)?



CONTACTS:

- Local/State Air
 Agencies
 - -NACAA
 - -AAPCA
- EPA
- Others



RESPONSE:

- Not FEM/FRM Quality (ambient)
- Not an approved test/alternative method (source)
- No action
- Check the AQI

Inconsistent/inaccurate information without guidance



Acknowledgements

OAQPS Team

- Kristen Benedict(Team Lead)
- Bryan Hubbell
- Michael Stewart
- Alison Davis
- Holly Wilson
- Susan Stone
- Phil Lorang
- Nicholas Swanson
- David Mintz
- Michelle Wayland
- Melissa Dreyfus

- Mike Papp
- Jason DeWees
- Kirk Baker
- James Hemby
- Ron Evans
- o Chris Chapman
- Brad Johns
- John White
- o Phil Dickerson
- Richard Wayland
- Melissa Payne

Collaborations





